Category	No.	Term	Definition in JCM
Emission reductions or removals	1.	Greenhouse Gases (GHG)	GHG are those gases of carbon dioxide $(CO_2)$ , methane $(CH_4)$ , nitrous oxide $(N_2O)$ , hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), sulphur hexafluoride (SF <sub>6</sub> ) and nitrogen trifluoride (NF <sub>3</sub> ) (RoI para.2).
	2.	JCM project	A GHG emission reduction or removal project activity under the JCM (RoI para.3).
	3.	Eligible project type list	List of titles of methodologies approved by the Joint Committee under the JCM with their eligibility criteria.
	4.	Eligibility criteria	<ul><li>Eligibility criteria are requirements for the JCM project defined in the JCM methodology and contain the followings:</li><li>(a) Requirements for the project in order to be registered as a JCM project;</li><li>(b) Requirements for the project to be able to apply the JCM methodology.</li></ul>
	5.	Net decrease and/or avoidance of GHG emissions	In the JCM, emission reductions to be credited are defined as the difference between reference emissions and project emissions. The reference emissions are calculated below business as usual (BaU) emissions to ensure a net decrease and/or avoidance of GHG emissions.
	6.	Reference emissions	Reference emissions are calculated below business-as-usual (BaU) emissions. Reference emissions are calculated by multiplying a crediting threshold which is typically expressed as GHG emissions per unit of output by total outputs.
	7.	Business-as-usual (BaU) emissions	Business-as-usual (BaU) emissions represent plausible emissions in providing the same outputs or service level of the proposed JCM project in the host country.
	8.	Crediting threshold	Crediting threshold is typically expressed as GHG emissions per unit of output. A crediting threshold is established <i>ex ante</i> in the methodology applicable for the same project type in the host country. It should also be established conservatively in order to calculate reference emissions below BaU emissions.
	9.	Emissions sources and GHG types	Those emissions sources and GHG types whose emissions are significant and reasonably attributable to the JCM project.
	10.	Sinks and GHG types	Those sinks and GHG types whose removals or emissions are significant and reasonably attributable to the JCM project.
	11.	Sectoral scope	The category of GHG source sectors or groups of activities that apply to JCM projects. It is based on the sectoral scope for the CDM. A JCM project may fall within more than one sectoral scope.
	12.	Level of assurance	Level of assurance is defined as degree of assurance the Joint Committee requires in a verification.

## Joint Crediting Mechanism Glossary of Terms

Category	No.	Term	Definition in JCM
			The level of assurance is used to determine the depth of detail that a verifier designs into their verification plan to determine if there are any material errors, omissions or misrepresentations.
	13.	Materiality	Materiality is a concept that individual or the aggregation of errors, omissions and misrepresentations could affect the greenhouse gas assertion and could influence the intended users' decisions.
Governance	14.	Each side	Each side, based on the rules and guidelines developed by the Joint Committee and/or in accordance with relevant domestic laws and regulations in the respective countries for the implementation of the JCM: (a) Prepares draft methodologies and submits them to the Joint Committee; (b) Establishes and maintains a registry in line with the common specifications for registries, as developed by the Joint Committee; (c) On the basis of a notification for the issuance of credits given by the Joint Committee (including for the allocation of credits among the participants which are jointly involved in the implementation of a JCM project), issues the notified amount of credits in its registry. Each side promptly informs the Joint Committee on the issuance of credits under the JCM (RoI
	15.	Joint committee	para.13-14). The Joint committee consists of representatives from the Ethiopian side and the Japanese side. The Joint committee may develop or modify the rules and guidelines necessary for the implementation of the JCM, approve proposed methodologies, designate third party entities, register JCM projects, and notify both sides to issue credits for a JCM project.
	16.	Joint committee secretariat	The Joint Committee will establish its secretariat for the implementation of the JCM (RoI para.12).
	17.	Third-party entity	A third-party entity is an entity designated by the Joint Committee, based on the criteria and procedures established by the "Joint Crediting Mechanism Guidelines for designation as a Third-Party Entity", as qualified to validate proposed JCM projects as well as verify GHG emission reductions or removals.
	18.	Project participant	A project participant is a government, private entity and/or public entity involved to participate in a JCM project which may develop and implement a JCM project, monitor and report GHG emission reductions or removals, and requests the Joint Committee to notify each side to issue the credits.
D ( /	10	Nr. (1 1 1	
Documents/ infrastructure	19.	Methodology	A methodology applied to JCM projects for calculating emission reductions achieved by each

Category	No.	Term	Definition in JCM
	20.	Proposed	project and monitoring the JCM project. A proposed methodology is a methodology that has been submitted to the Joint Committee for approval. A proposed methodology consists of proposed methodology form and Proposed Methodology Spreadsheet. An approved methodology is a methodology that has been approved by the Joint Committee for application to JCM projects. An approved methodology consists of an approved methodology document and a Monitoring Spreadsheet. Approved methodologies are publicly available on the JCM website. A Proposed Methodology Spreadsheet is a part of a
	20.	Methodology Spreadsheet	A Proposed Methodology Spreadsheet is a part of a proposed methodology developed by methodology proponents. A Proposed Methodology Spreadsheet defines a monitoring plan and enables calculation of GHG emission reductions automatically through inputting values. The Proposed Methodology Spreadsheet consists of an input sheet and calculation process sheet.
	21.	Monitoring Spreadsheet	A Monitoring Spreadsheet is a part of an approved methodology. The Monitoring Spreadsheet consists of a Monitoring Plan Sheet (input sheet and calculation process sheet), Monitoring Structure Sheet, and Monitoring Report Sheet (input sheet and calculation process sheet). The Monitoring Plan Sheet and Monitoring Structure Sheet are used for developing a monitoring plan and calculating emission reductions <i>ex ante</i> . The Monitoring Report Sheet is used for preparing a monitoring report and calculating emission reductions <i>ex post</i> . The Monitoring Plan Sheet and Monitoring Report Sheet are prepared based on the Proposed Methodology Spreadsheet and the Monitoring Structure Sheet is added by the secretariat after the approval of the proposed methodology by the Joint Committee.
	22.	Project design document (PDD)	The document prepared by the project participant of a JCM project which sets out in detail the JCM project which is to be realized. A Project design document (PDD) consists of a completed PDD form and monitoring plan using a Monitoring Plan Sheet and Monitoring Structure Sheet of the Monitoring Spreadsheet. The form of PDD, Monitoring Spreadsheet, and guidelines on preparing the PDD, are publicly available through the JCM website.
	23.	Monitoring plan	A monitoring plan sets out the methodology to be used by project participants for the monitoring of, and by third-party entities for verification of the amount of GHGs emission reductions achieved by the JCM project. A monitoring plan is developed using Monitoring Plan Sheet and Monitoring Structure

Category	No.	Term	Definition in JCM
			Sheet of Monitoring Spreadsheet.
	24.	Monitoring report	A monitoring report is prepared by a project
			participant and sets out the GHG emission reductions
			of an implemented registered JCM project for a
			particular monitoring period. A monitoring plan is
			prepared using a Monitoring Report Sheet of a
			Monitoring Spreadsheet.
	25.	Registry	Each side may establish a registry to record and use of
			the credits (RoI para.33).
	26.	Credit	Credits are issued based on a quantified amount of
			GHG emission reduction or removal achieved by the
			contribution of a project participant in the
			implementation of a GHG emission reduction or
			removal project activity under the JCM (RoI para.3).
D 1	07		
Project cycle	27.	Modalities of	A modalities of communication statement (MoC)
		communication	from (or signed by) all project participants
		statement (MoC)	participating in a JCM project, defined in a prescribed form, that designates one focal point entities to
			communicate on their behalf with the secretariat and
			the Joint Committee in line with established scopes.
	28.	Validation	Validation is the process of independent evaluation of
	20.	vandation	a proposed JCM project on the basis of the PDD by a
			third-party entity against the validation guidelines
			developed by the Joint Committee (RoI para.23).
	29.	Registration	Registration is the formal acceptance by the Joint
	_/.	Bistitution	Committee of a validated project as a JCM project
			(RoI para.26).
	30.	Monitoring	A Project participant implements a JCM project and
		6	monitors GHG emission reduction or removal by the
			JCM project based on the PDD (RoI para.29).
	31.	Verification	Verification is the periodic independent review and ex
			post determination by a third-party entity of the
			monitored GHG emission reduction or removal as a
			result of a registered JCM project (RoI para.30).
	32.	Issuance	The action taken by each side to issue the credits to its
		of credits	respective account in the registry in line with the
			notification of the Joint Committee.