Joint Crediting Mechanism Approved Methodology TH_AM001 "Installation of Solar PV System"

A. Title of the methodology

Installation of Solar PV System, Ver 02.003.0

B. Terms and definitions

Terms	Definitions
Solar photovoltaic (PV) system	An electricity generation system which converts sunlight
	into electricity by the use of photovoltaic (PV) modules.
	The system also includes ancillary equipment such as
	inverters required to change the electrical current from
	direct current (DC) to alternating current (AC).

C. Summary of the methodology

Items	Summary
GHG emission reduction	Displacement of grid electricity and/or captive electricity using
measures	fossil fuel as power source by installation and operation of the
	solar PV system(s)
Calculation of reference	Reference emissions are calculated on the basis of the AC
emissions	output of the solar PV system(s) multiplied by the conservative
	emission factor of grid electricity and/or captive electricity.
Calculation of project	Project emissions are the emissions from the solar PV
emissions	system(s), which are assumed to be zero.
Monitoring parameters	The quantity of the electricity generated by the project solar PV
	system(s)

D. Eligibility criteria		
This methodology is applicable to projects that satisfy all of the following criteria.		
Criterion 1	The project installs solar PV system(s).	

Criterion 2	The solar PV system is connected to the internal power grid of the project site	
	and/or to the grid for displacing grid electricity and/or captive electricity at the	
	project site.	
Criterion 3	The PV modules have obtained a certification of design qualifications (IEC	
	61215, IEC 61646 or IEC 62108) and safety qualification (IEC 61730-1 and	
	IEC 61730-2).	
Criterion 4	The equipment to monitor output power of the solar PV system and irradiance	
	is installed at the project site.	

E. Emission Sources and GHG types

Reference emissions		
Emission sources	GHG types	
Consumption of grid and/or captive electricity	CO ₂	
Project emissions		
Emission sources	GHG types	
Generation of electricity from solar PV system(s)	N/A	

F. Establishment and calculation of reference emissions

F.1. Establishment of reference emissions

The emission factor of the Thai grid published by <u>the government</u> the Thailand Greenhouse Gas Management Organization (TGO) is 0.56610.5251 tCO₂eq/MWh (combined margin, 20142021).

Most-More than 53.6% of the grid power is derived from natural gas in Thailand (around 70%). The generation efficiency of major natural gas fired power plants in Thailand ranges from 41 to 61%. The emission factors of these plants are in the range of 0.477 to 0.319 tCO₂/MWh.

Considering that it is difficult to identify which of the natural gas-fired power plants is displaced by <u>the project solar PV system(s)solar PV system(s)</u> installed in this project, the grid emission factor is established by assuming that the most efficient natural gas-fired power plant in Thailand is displaced in conservative manner, which will lead to ensuring net emission reductions. The grid emission factor is set to be 0.3190.305 t₋CO₂eq/MWh which corresponds

to the most efficient natural gas-fired power plant in Thailand (generation efficiency: 61.264.1%).

F.2. Calculation of reference emissions

$$\begin{split} \text{RE}_p &= \sum_i \text{EG}_{i,p} \times \text{EF}_{\text{RE}} \\ \text{RE}_p &: \text{Reference emissions during the period } p \left[\text{tCO}_2 \underline{\text{eq}} / p \right] \\ \text{EG}_{i,p} &: \text{Quantity of the electricity generated by the project solar PV system } i \text{ during the} \\ &\quad \text{period } p \left[\text{MWh/p} \right] \\ \text{EF}_{\text{RE}} &: \text{Reference CO}_2 \text{ emission factor of grid electricity and/or captive electricity} \\ \left[\text{tCO}_2 \underline{\text{eq}} / \text{MWh} \right] \end{split}$$

G. Calculation of project emissions

$$PE_p = 0$$

 PE_p : Project emissions during the period p [tCO₂eq/p]

H. Calculation of emissions reductions

$$ER_{p} = RE_{p} - PE_{p}$$

$$= RE_{p}$$

$$ER_{p} : Emission reductions during the period p [tCO_{2}eq/p]$$

$$RE_{p} : Reference emissions during the period p [tCO_{2}eq/p]$$

 PE_p : Project emissions during the period p [tCO₂eq/p]

I. Data and parameters fixed *ex ante*

The source of each data and parameter fixed *ex ante* is listed as below.

Parameter	Description of data	Source
EF _{RE}	Reference CO ₂ emission factor of grid and/or	Additional information
	captive electricity, calculated based on the	The default emission factor is
	power generation efficiency of 61.264.1%	derived from the result of the
	using natural gas as the power source.	survey on the generation
	The default value for EF_{RE} is set to be	efficiency of major natural
	0.3190.305 tCO2eq/MWh.	gas-fired power plants in
		Thailand. The default value
		should be revised if necessary
		from survey result which is
		conducted by the JC or project
		participants.

History of the document

l

Version	Date	Contents revised
<u>03.0</u>	TBD	TBD
02.0	28 September 2020	Electronic decision by the Joint Committee.
		Revision to:
		Change the description of "Measurement methods and
		procedures" to clarify the requirement for calibration in
		the Monitoring Spreadsheet: JCM_TH_AM001
01.0	23 August 2016	Decision by the Joint Committee.
		Initial approval.